LITERATURE CITED

- Anderson, P.J. 2004. Gulf of Alaska small mesh trawl survey trends. In J.L. Boldt (Ed.) Ecosystem Considerations for 2005. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Anderson, P.J., and J.F. Piatt. 1999. Community reorganization in the Gulf of Alaska following ocean climate regime shift. Mar. Ecol. Prog. Ser. 189: 117-123.
- Andrews, A. H., G. M. Cailliet, and K. H. Coale. 1999. Age and growth of Pacific grenadier (*Coryphaenoides acrolepis*) with age estimate validation using an improved radiometric ageing technique. Can. J. Fish. Aquat. Sci. 56: 1339-1350.
- Angermeier, P.L., and J.R. Karr. 1994. Biological integrity versus biological diversity as policy directives. BioScience 44:690-697.
- Angliss, R. P. and K. L. Lodge. 2004. Alaska Marine Mammal Stock Assessments, 2002. NOAA Tech. Memo. NMFS-AFSC-144, 230p.
- Atkinson, D. B. 1995. The biology and fishery of roundnose grenadier (*Coryphaenoides rupestris* Gunnerus, 1765) in the northwest Atlantic. *In*: A. G. Hopper (Editor), Deep water fisheries of the North Atlantic slope, p. 51-112. Kluwer Academic Publishers, Dordrecht.
- Baker, T.T., J.A. Wilcock, and B.W. McCracken. 1991. Stock assessment and management of Pacific herring in Prince William Sound, 1990. Alaska Department of Fish and Game, Division of Commercial Fisheries. Technical Fisheries Data Report No. 91-22, Juneau.
- Bakkala, R. G., W. A. Karp, G. F. Walters, T. Sasaki, M. T. Wilson, T. M. Sample, A. M. Shimada, D. Adams, and C. E. Armistead. 1992. Distribution, abundance, and biological characteristics of groundfish in the eastern Bering Sea based on results of U.S.-Japan bottom trawl and midwater surveys during June-September 1988. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-213, 362 p.
- Barbeaux, S., J. Ianelli, and E. Brown. 2003. Aleutian Islands walleye pollock SAFE. In the Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands regions. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- Beamish, R. J. 1993. Climate and exceptional fish production off the west coast of North America. Canadian Journal of Fisheries and Aquatic Science 50:2270-2291.
- Beamish, R.J, and D.R. Bouillon. 1993. Pacific salmon production trends in relation to climate. Canadian Journal of Fisheries and Aquatic Sciences 50: 1002-1016.
- Benson, A. J. and A. W. Trites. 2000. A review of the effects of regime shifts on the production domains in the eastern North Pacific Ocean. Unpublished report, Marine Mammal Research Unit, Fisheries Centre, University of British Columbia, 2204 Main Mall, Vancouver, BC V6T 1Z4.
- Bianchi, G., H. Gislason, K. Graham, L. Hill, X. Jin, K. Koranteng, S. Manickchand-Heileman, I. Paya, K. Sainsbury, F. Sanchez, and K. Zwanenburg. 2000. Impact of fishing on size composition and diversity of demersal fish communities. ICES J. Mar. Sci. 57:558-571.
- Bickham, J. W., J. C. Patton, and T. R. Loughlin. 1996. High variability for control-region sequences in a marine mammal: Implications for conservation and biogeography of Steller sea lions (*Eumetopias jubatus*). J. Mammal. 77:95-108.
- Bigler, B.S., D.W. Welch, and J.H. Helle. 1996. A review of size trends among North Pacific salmon (*Oncorhynchus* spp.) Canadian Journal of Fisheries and Aquatic Sciences 53: 455-465.
- Birt, V.L., T.P. Birt, D. Goulet, D.K. Cairns, and W.A. Montevecchi. 1987. Ashmole's halo: Direct evidence for prey depletion by a seabird. Mar. Ecol. Progr. Ser. 40(3):205-208.
- Blackburn, J. E. 1977. Demersal and Shellfish Assessment in Selected Estuary Systems of Kodiak Island. *In* Environmental Assessment of the Alaskan Continental Shelf, Annual Reports of Principal Investigators for the year ending March 1977. Volume X. Receptors-Fish, Littoral, Benthos. Outer Continental Shelf Environmental Research Laboratory, Boulder Colorado.
- Boehlert, G. 1996. Biodiversity and the sustainability of marine fisheries. Oceanography 9:28-35.

- Boldt, J. (Ed) 2003. Ecosystem considerations for 2004. North Pacific Fishery Management Council Groundfish Plan Team Document, November 2003. Dept. of Commerce, NMFS, NOAA, AFSC, 7600 Sand Point Way N.E.
- Boldt, J.L., K.J. Goldman, B. Bechtol, C. Dykstra, S. Gaichas, and T. Kong. 2003. Shark bycatch in Alaska state and federal waters. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Bond, N.A., J.E. Overland, M. Spillane, and P. Stabeno. 2003. Recent shifts in the state of the North Pacific. Geophys. Res. Lett. 30, DOI 10.1029/2003GL018597.
- Boveng, P. L., J. L. Bengtson, D. E. Withrow, J. C. Cesarone, M. A. Simpkins, K. J. Frost, and J. J. Burns. 2003. The abundance of harbor seals in the Gulf of Alaska. Marine Mammal Science 19(1):111-127.
- Brady, J.A. 1987. Distribution, timing, and relative biomass indices for Pacific Herring as determined by aerial surveys in Prince William Sound 1978 to 1987. Alaska Department of Fish and Game, Division of Commercial Fisheries, Prince William Sound Data Report 87-14, Anchorage.
- Brickley, P. J., and A. C. Thomas. 2004. Satellite-measured seasonal and inter-annual chlorophyll variability in the Northeast Pacific and Coastal Gulf of Alaska. Deep Sea Research Part II: Topical Studies in Oceanography 51:229-245.
- Britt, L. L., and M. H. Martin. 2001. Data report: 1999 Gulf of Alaska bottom trawl survey. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-121, 249 p.
- Brodeur, R.D., and Ware, D.M. 1992. Long-term variability in zooplankton biomass in the subarctic Pacific Ocean. Fisheries Oceanography 1(1):32-37.
- Brodeur, R.D., C.E. Mills, J.E. Overland, G.E. Walters, J.D. Schumacher. 1999. Evidence for a substantial increase in gelatinous zooplankton in the Bering Sea, with possible links to climate change. Fisheries Oceanography 8(4):296-306.
- Brooke, M. 2004. Albatrosses and Petrels across the World. Oxford University Press.
- Brothers, N., J. Cooper, and S. Lokkeborg. 1999. The Incidental Catch of Seabirds by Longline Fisheries: Worldwide Review and Technical Guidelines for Mitigation, FAO Fisheries Circular No. 937, Rome, 100 pp.
- Brown, E.D. 2003. HAPC- Gulf of Alaska. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Brown, E.D., and T.T. Baker. 1998. Injury to Prince William Sound herring following the *Exxon Valdez* oil spill, *Exxon Valdez* State/Federal Natural Resource Damage Assessment Final Report (Fish/Shellfish Study Number 11), Alaska Department of Fish and Game, Division of Commercial Fisheries Management and Development, Cordova, Alaska.
- Burton, E. J. 1999. Radiometric age determination of the giant grenadier (*Albatrossia pectoralis*) using ²¹⁰Pb:²²⁶Ra disequilibria. Master's thesis, San Francisco State University, 91 p.
- Calkins, D.G. and K.W. Pitcher. 1982. Population assessment, ecology and trophic relationships of Steller sea lions in the Gulf of Alaska. Alaska Department of Fish and Game, Final Report RU243. Alaska Department of Fish and Game, 333 Raspberry Road, Anchorage, AK 99502, 76p.
- Carls, M.G., G.D. Marty, and J.E. Hose. 2002. Synthesis of the toxicological impacts of the *Exxon Valdez* oil spill on Pacific herring (*Clupea pallasi*) in Prince William Sound, Alaska, U.S.A. Can. J. Fish. Aquat. Sci. 59:153-172.
- Carlton, J.T. 1996. Marine bioinvasions: The alteration of marine ecosystems by nonindigenous species. Oceanography 9:36-43.
- Carpenter, S. R. 2002. Ecological futures: building an ecology of the long now. Ecology 83(8):2069-2083.

- Clausen, D. M., and S. Gaichas. 2004. Grenadiers in Alaska. *In J. Boldt* (ed.), Ecosystem considerations for 2005, p. 168-186. North Pacific Fisheries Management Council, 605 W. 4th Ave., Suite 306, Anchorage AK 99801.
- Climatic Research Unit (University of East Anglia). 2005. HadCRUT2 Surface temperature. www.cru.uea.ac.uk/cru/data/temperature/#datdow
- Coronado, C and R. Hilborn. 1998. Spatial and temporal factors affecting survival in coho and fall chinook salmon in the Pacific Northwest. Bulletin of Marine Science 62(2): 409-125.
- Courtney, D., S. Gaichas, J. Boldt, K.J. Goldman, and C. Tribuzio. 2004. Sharks in the Gulf of Alaska, Eastern Bering Sea, and Aleutian Islands. *In*: Appendix A of the Stock assessments and fishery evaluation reports for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK. http://www.afsc.noaa.gov/refm/stocks/assessments.htm
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 103 pp.
- Crapo, C., B. Himelbloom, R. Pfutzenreuter, and C. Lee. 1999. Causes for soft flesh in giant grenadier (*Albatrossia pectoralis*) fillets. J. Aquatic Food Product Tech. 8(3): 55-68.
- Cushing, D.H. 1975. Marine Ecology and Fisheries. Cambridge, UK: Cambridge University Press, 278 pp.
- Davidson, W., W. Bergmann, P. Doherty, K. Monagle, and D. Gordon. 2005. Southeast Alaska sac roe herring fishery, 2005. Alaska Department of Fish and Game. Fishery Management Report No. 05-05, Anchorage.
- DeGange, A. R., and G. A. Sanger. 1987. Marine Birds. *In*: The Gulf of Alaska: Physical environment and biological resources. D.W. Hood and S.T. Zimmerman (eds), U.S. National Oceanic and Atmospheric Administration, Ocean Assessments Division, Anchorage, Alaska: 479-524.
- DFO. 2003. State of the Eastern Scotian Shelf Ecosystem. Department of Fisheries and Oceans (DFO) Can. Sci. Advis. Sec. Ecosystem Status Rep. 2003/004.
- Dietrich, K.S. 2003. Factors affecting seabird bycatch in Alaska longline fisheries. M.S. thesis, University of Washington, Seattle, WA, 110p.
- Dorn, M., S. Barbeaux, S. Gaichas, M. Guttormsen, B. Megrey, K. Spalinger, and M. Wilkins. 2004. Gulf of Alaska walleye pollock. *In*: Appendix A of the Stock assessments and fishery evaluation reports for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK. http://www.afsc.noaa.gov/refm/stocks/assessments.htm
- Downton, M.W., and K.A. Miller. 1998. Relationships between Alaskan salmon catch and North Pacific climate on interannual and interdecadal time scales. Canadian Journal of Fisheries and Aquatic Sciences 55: 2255-2265.
- Dragoo, D. E., G. V. Byrd, and D. B. Irons. 2000. Breeding status and population trends of seabirds in Alaska in 1999. U.S. Fish and Wildl. Serv. Report AMNWR 2000/02.
- Dragoo, D.E., G. V. Byrd, and D. B. Irons. 2003. Breeding status, population trends and diets of seabirds in Alaska, 2001. U.S. Fish and Wildl. Serv. Report AMNWR 03/05.
- Dragoo, D.E., G. V. Byrd, and D. B. Irons. 2004. Breeding status, population trends and diets of seabirds in Alaska, 2002. U.S. Fish and Wildl. Serv. Report AMNWR 04/15.
- Drazen, J. C., T. W. Buckley, and G. R. Hoff. 2001. The feeding habits of slope dwelling macrourid fishes in the eastern North Pacific. Deep-Sea Res. I 48:909-935.
- Ducet, N., P.Y. Le Traon, and G. Reverdin. 2000. Global high-resolution mapping of ocean circulation from TOPEX/Poseidon and ERS-1 and-2. Journal of Geophysical Research Oceans 105:19477-19498.
- Duplisea, D.E., S.R. Kerr, and L.M. Dickie. 1997. Demersal fish biomass size spectra on the Scotian Shelf, Canada; species replacement at the shelfwide scale. Can. J. Fish. Aquat. Sci. 54:1725-1735.

- Eggers, D.M. 2003. Run Forecasts and Harvest Projections for 2003 Alaska Salmon Fisheries and Review of the 2002 Season. Juneau: Alaska Department of Fish and Game Regional Information Report No. 5J03-01.
- Eschmeyer, W. N., E. S. Herald, and H. Hammann. 1983. A field guide to Pacific coast fishes of North America. Houghton Mifflin Co., Boston, 336 p.
- Fair, L. 2003. Bristol Bay sockeye salmon. p. 75-76. *In* D. M. Eggers [ed.] Run Forecasts and Harvest Projections for 2003 Alaska Salmon Fisheries and Review of the 2002 Season. Juneau: Alaska Department of Fish and Game Regional Information Report No. 5J03-01.
- Fair, L. 2004. Bristol Bay sockeye salmon. p. 75-76. *In* M. Plotnick and D. M. Eggers [eds.] Run Forecasts and Harvest Projections for 2004 Alaska Salmon Fisheries and Review of the 2003 Season. Juneau: Alaska Department of Fish and Game Regional Information Report No. 5J04-01.
- Favorite, F., A.J. Dodimead, and K. Nasu. 1976. Oceanography of the subarctic Pacific region, 1960-71. International North Pacific Fisheries Commission Bulletin 33, 187 pp.
- Fitzgerald, S., K. Kuletz, M. Perez, K. Rivera, D. Dragoo, and R. Suryan. 2003. Seabirds. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Fitzgerald, S., K. Kuletz, M. Perez, K. Rivera, D. Dragoo, and R. Suryan. 2004. Seabirds. In J.L. Boldt (Ed.) Ecosystem Considerations for 2005. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Freeland, H., K. Denman, C.S. Wong, F. Whitney, and R. Jacques. 1997. Evidence of change in the winter mixed layer in the Northeast Pacific Ocean. Deep-Sea Research 44(12):2117-2129.
- Freon, P., F. Gerlotto, and M. Soria. 1992. Changes in school structure according to external stimuli: description and influence on acoustic assessment. Fisheries Research 15:45-66.
- Frost, K. F., L. G. Lowry, R. J. Small, and S. J. Iverson. 1996. Monitoring, habitat use, and trophic interactions of harbor seals in Prince William Sound. *Exxon Valdez* Oil Spill Restoration Project Annual Report (Project #95064), Alaska Dep. of Fish and Game, Division of Wildlife Conservation. Fairganks, AK. 131 pp.
- Frost, K.J., L.F. Lowry, and J.M. Ver Hoef. 1999. Monitoring the trend of harbor seals in Prince William Sound, Alaska, after the Exxon Valdez oil spill. Mar. Mammal Sci. 15(2):494-506.
- Funk, F. http://www.cf.adfg.state.ak.us/geninfo/finfish/herring/overview/overview.htm, October 6, 2003.
- Funk, F. 1994. Forecast of the Pacific herring biomass in Prince William Sound, Alaska, 1993. Regional Information Report No. 5J94-04, Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau, Alaska.
- Funk, F., L.K. Brannian, and K.A. Rowell. 1992. Age-structured assessment of the Togiak herring stock, 1978-1992, and preliminary forecast of abundance for 1993. Juneau: Alaska Department of Fish and Game, Division of Commercial Fisheries. Regional Information Report 5J92-11.
- Furness, R. W. 1978. "Energy requirements of seabird communities: a biogenergetics model." Journal of Animal Ecology 47:39-53.
- Gaichas, S. 2002. Squid and other species in the Bering Sea and Aleutian Islands. *In*: Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands region, November 2002, p. 669-699. North Pacific Fisheries Management Council, 605 W. 4th Ave., Suite 306, Anchorage AK 99501.
- Gaichas, S. 2003. Squid and other species in the Bering Sea and Aleutian Islands. *In*: Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands region, November 2003, p. 777-808. North Pacific Fisheries Management Council, 605 W. 4th Ave., Suite 306, Anchorage AK 99501.
- Gaichas, S., and J. L. Boldt. 2003. Time trends in non-target species catch. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and

- Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501. 335p.
- Gaichas, S., D. Courtney, T. TenBrink, M. Nelson, S. Lowe, J. Hoff, B. Matta, and J. Boldt. 2004. Squid and other species in the Bering Sea and Aleutian Islands. *In*: Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands region, November 2004. North Pacific Fisheries Management Council, 605 W. 4th Ave., Suite 306, Anchorage AK 99501.
- Gargett, A.E. 1997. The optimal stability 'window': a mechanism underlying decadal fluctuations in north Pacific salmon stocks? Fisheries Oceanography 6(2):109-117.
- Goddard, P., and M. Zimmerman. 1993. Distribution, abundance, and biological characteristics of groundfish in the eastern Bering Sea based on results of U.S. bottom trawl surveys during June-September 1991. AFSC Processed Rep. 93-15, 338 p. (Available from National Marine Fisheries Service, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle WA 98115).
- Gorbunova, N.N. 1962. Spawning and development of greenlings (family Hexagrammidae). Tr. Inst. Okeanol., Akad. Nauk SSSR 59:118-182. *In* Russian. (Trans. by Israel Program Sci. Trans., 1970, p. 121-185 in T.S. Rass (editor), Greenlings: taxonomy, biology, interoceanic transplantation; available from the U.S. Dep. Commer., Natl. Tech. Inf. Serv., Springfield, VA., as TT 69-55097).
- Gray, D. D. Ashe, J. Johnson, R. Merizon, and S. Moffitt. 2002. Regional information report No. 2A02-20ADFG, Commercial Fisheries Division, Central Region, 333 Raspberry Road, Anchorage, AK 99518.
- Greenstreet, S.P.R. and S.J. Hall, 1996. Fishing and the groundfish assemblage structure in the northwestern North Sea: an analysis of long-term and spatial trends. J. Anim. Ecol. 65:577-598.
- Greenstreet, S.P.R., F.E. Spence, and J.A. McMillan. 1999. Fishing effects in northeast Atlantic shelf seas: patterns in fishing effort, diversity and community structure. V. Changes in structure of the North Sea groundfish species assemblage between 1925 and 1996. Fish. Res. 40:153-183.
- Hanski, I. 1997. Be diverse, be predictable. Nature 390:440-441.
- Hare, S.R., and N.J. Mantua, 2000: Empirical evidence for North Pacific regime shifts in 1977 and 1989. Progress in Oceanography. 47:103-145.
- Hare, S.R., and R.C. Francis. 1995. Climate change and salmon production in the Northeast Pacific Ocean, p. 357-372. *In* R.J. Beamish [ed.] Climate Change and Northern Fish Populations. Canadian Special Publication of Fisheries and Aquatic Sciences 121.
- Hatch, S. A., and M. A. Hatch. 1990. Breeding seasons of oceanic birds in a subarctic colony. Can. J. Zool. 68:1664-1679.
- Hatch, S.A., and D.N. Nettleship. 1998. Northern Fulmar (Fulmarus glacialis). The Birds of North America 361, Academy of Natural Sciences, Philadelphia, PA, 32pp.
- Heifetz, J., and J.T. Fujioka. 1991. Movement dynamics of tagged sablefish in the northeastern Pacific Ocean. Fish. Res. 11:355-374.
- Hermann, A.J., and P.J. Stabeno. 1996. An eddy-resolving model of circulation on the western Gulf of Alaska shelf, 1, Model development and sensitivity analyses. J. Geophys. Res. 101(1):1129-1149.
- Hill, P. S., and D. P. DeMaster. 1999. Alaska Marine Mammal Stock Assessments, 1999. NOAA Technical Memorandum, NMFS-AFSC-110, U.S. Department of Commerce, NMFS, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115. p. 166.
- Hinch, S.G., M.C. Healey, R.E. Diewert, K.A. Thomson, R. Hourston, M.A. Henderson, and F. Juanes. 1995. Potential effects of climate change on marine growth and survival of Fraser River sockeye salmon. Canadian Journal of Fisheries and Aquatic Sciences 52: 2651-2659.
- Hinckley, S. 1987. The reproductive biology of walleye pollock (*Theragra chalcogramma*) in the Bering Sea, with reference to spawning stock structure. Fisheries Biology 85:481-498.
- Hoenig, J. M. 1983. Empirical use of longevity data to estimate mortality rates. Fish. Bull. 82(1): 898-902.

- Hoff, G. R., and L. L. Britt. 2003. The 2002 eastern Bering Sea upper continental slope survey of groundfish and invertebrate resources. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-141, 261 p.
- Hoff, G.R. 2003. Biodiversity as index of regime shift in the Eastern Bering Sea. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501. 335p.
- Hollowed, A. B., and W. S. Wooster. 1995. Decadal-scale variations in the eastern Subarctic Pacific: II. Response of Northeast Pacific fish stocks, p. 373-385. *In* Climate Change and Northern Fish Populations. Canadian Special Publication of Fisheries and Aquatic Sciences 121.
- Hollowed, A.B., S.R. Hare, and W.S. Wooster 2001. Pacific Basin climate variability and patterns of Northeast Pacific marine fish production. Progress in Oceanography 49:257-282.
- Hunt, G. L. Jr., P. J. Stabeno, G. Walters, E. Sinclair, R.D. Brodeur, J. M. Napp, and N. A. Bond. 2002. Climate change and control of the southeastern Bering Sea pelagic ecosystem. Deep-Sea Research II 49:5821-5853.
- Ianelli, J.N., and S. Barbeaux. 2004. Eastern Bering Sea Walleye pollock stock assessment for 2004. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK. Section.
- Ianelli, J.N., T. Buckley, T. Honkalehto, N. Williamson. and G. Walters. 2002. Bering Sea-Aleutian Islands Walleye pollock assessments for 2002. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK. Section 1:1-105.
- Iles, T.D., and M. Sinclair. 1982. Atlantic herring: stock discreteness and abundance. Science 215:627-633
- Ingraham, W.J., and R.K. Miyahara. 1988. Ocean surface current simulations in the North Pacific Ocean and Bering Sea (OSCURS Numerical Model), U.S. Department of Commerce, NOAA / National Marine Fisheries Service.
- Institute of Marine Science (UAF). 2005. Gulf of Alaska Temperature/Salinity time series. www.ims.uaf.edu/gak1/
- INPFC Secretariat. 1979. Historical catch statistics for salmon of the North Pacific Ocean. INPFC Bull. 39. 166 p.
- Ishida, Y, D.W. Welch, and M. Ogura. 1995. Potential influence of North Pacific sea-surface temperatures on increased production of chum salmon (*Oncorhynchus keta*) from Japan, p. 271-275. *In* R.J. Beamish [ed.] Climate Change and Northern Fish Populations. Canadian Special Publication of Fisheries and Aquatic Sciences 121.
- Ishida, Y., S. Ito, M. Kaeriyama, S. Mckinnell, and K. Nagasawa. 1993. Recent changes in age and size of chum salmon (*Oncorhynchus keta*) in the North Pacific Ocean and possible causes. Canadian Journal of Fisheries and Aquatic Sciences 50: 290-295.
- Iwamoto, T., and D. L. Stein. 1974. A systematic review of the rattail fishes (Macrouridae: Gadiformes) from Oregon and adjacent waters. Occasional Papers of the California Academy of Sciences No. 111, 79 p.
- Jackson, D.R. 2005. Trawl surveys of shrimp and forage fish abundance in Alaska's westward region, 2004. Alaska Department of Fish and Game, Fishery Management Report No. 05-44, Anchorage.
- Jennings, S., and J.D. Reynolds. 2000. Impacts of fishing on diversity: from pattern to process. Pp. 235-250. In: M.J. Kaiser and S.J. de Groot (eds) Effects of Fishing on Non-Target Species and Habitats. Blackwell Science, Oxford. 399p.
- Jennings, S., and M.J. Kaiser. 1998. The effects of fishing on marine ecosystems. Adv. In Mar. Biol. 34:203-351.
- Jurado-Molina, J., and P. Livingston. 2003. MSVPA/MSFOR Model. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery

- Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Kajimura, H. 1984. Opportunistic feeding of the northern fur seal, *Callorhinus ursinus*, in the eastern North Pacific and eastern Bering Sea. NOAA Technical Report, NMFS SSRF-779, Wash., DC.
- Kendall, A.W., and G.J. Duker. 1998. The development of recruitment fisheries oceanography in the United States. Fisheries Oceanography 7(2):69-88.
- Kendall, A.W., L.S. Incze, P.B. Ortner, S.R. Cummings, and P.K. Brown. 1994. The vertical distribution of eggs and larvae of walleye pollock, *Theragra chalcogramma*, in Shelikof Strait, Gulf of Alaska. Fishery Bulletin 92(3):540-554.
- King, J.R., and G.A. McFarlane. 2003. Marine fish life history strategies: applications to fishery management. Fish. Manage. Ecol. 10(4):249-264.
- Kuletz KJ and KS Rivera. 2002. Seabirds. pp. 144-200. *In*: Livingston, P.A. (ed). Ecosystem Considerations for 2003. Appendix C. Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the EBS/AI and GOA. North Pacific Fishery Management Council, Anchorage, AK.
- Laake, J.L., J. Calambokidis, S.D. Osmek, and D.J. Rugh. 1997. Probability of detecting harbor porpoise from aerial surveys: estimating g(0). J. Wildlife Mngt. 61 (1): 63-75.
- Ladd, C., N. B. Kachel, C. W. Mordy, and P. J. Stabeno. 2005. Observations from a Yakutat eddy in the northern Gulf of Alaska. Journal Of Geophysical Research-Oceans 110, C03003, doi: 03010.01029/02004JC002710.
- Laevastu, T. and F. Favorite. 1988. Fishing and stock fluctuations, Fishing News Books Ltd, Farnham, Surrey, England. 239 pp.
- Lambshead, P.J.D., H.M. Platt, and K.M. Shaw. 1983. The detection of differences among assemblages of marine benthic species based on an assessment of dominance and diversity. J. Nat. Hist. 17:859-874.
- Lewison R.L., and L.B. Crowder. 2003. Estimating fishery bycatch and effects on a vulnerable seabird population. Ecological Applications 13:743-753.
- Link, J.S., J.K.T. Brodziak, S.F. Edwards, W.J. Overholtz, D. Mountain, J.W. Jossi, T.D. Smith, and M.J. Fogarty. 2002. Marine ecosystem assessment in a fisheries management context. Can. J. Fish. Aquat. Sci. 59:1429-1440.
- Livingston, P. (Ed) 2001. Ecosystem considerations for 2002. North Pacific Fishery Management Council Groundfish Plan Team Document, November 2001. Dept. of Commerce, NMFS, NOAA, AFSC, 7600 Sand Point Way N.E.
- Livingston, P. (Ed) 2002. Ecosystem considerations for 2003. North Pacific Fishery Management Council Groundfish Plan Team Document, November 2002. Dept. of Commerce, NMFS, NOAA, AFSC, 7600 Sand Point Way N.E.
- Livingston, P. 2003. Trophic level of the catch. In Ecosystem considerations for 2003. North Pacific Fishery Management Council Groundfish Plan Team Document, November 2002. Dept. of Commerce, NMFS, NOAA, AFSC, 7600 Sand Point Way N.E.
- Livingston, P. A., Low, L–L., and Marasco, R. J. 1999. Eastern Bering Sea ecosystem trends. *In* Large Marine Ecosystems of the Pacific Rim: Assessment, Sustainability, and Management, pp. 140–162. Ed. by K. Sherman and Q. Tang. Blackwell Science, Malden, MA. 465 pp.
- Livingston, P.A. 1993. Importance of predation by groundfish, marine mammals and birds on walleye pollock and Pacific herring in the eastern Bering Sea. Marine Ecology Prog. Ser. 102: 205-215.
- Logerwell, E. A., and N. B. Hargreaves. 1997. Seabird impacts on forage fish: population and behavioral interactions. Pages 191-195 *in* Forage Fishes in Marine Ecosystems: Proceedings of the International Symposium on the Role of Forage Fishes in Marine Ecosystems. University of Alaska Sea Grant College Program, No. 97-01.
- Loughlin, T. R. 1997. Using the phylogeographic method to identify Steller sea lion stocks. Molecular genetics of marine mammals, p. 159-171. *In* A. Dizon, S. J. Chivers, and W. F. Perrin (Eds.). Special Publication #3 of the Society for Marine Mammalogy.

- Lowe, S. A. and L. W. Fritz. 1996. Atka mackerel. Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska region as projected for 1997, Gulf of Alaska Plan Team, ed., North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, pp. 331-361.
- Lowe, S., J. Ianelli, H. Zenger, and R. Lauth. 2003. Stock assessment of Aleutian Islands Atka mackerel. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK.
- Lowe, S., J. Ianelli, H. Zenger, and R.Reuter. 2002. Stock assessment of Aleutian Islands Atka mackerel. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK.
- Lowe, S., J. Ianelli, H. Zenger, K. Aydin, and R. Lauth. 2004. Stock assessment of Aleutian Islands Atka mackerel. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK.
- Lowry, L. F. 1982. Documentation and assessment of marine mammal-fishery interactions in the Bering Sea. Trans. 47th North American Wildlife and Natural Resource Conference, Portland, Oregon, pp. 300-311.
- Macklin, S.A., P.J. Stabeno, and J.D. Schumacher. 1993. A comparison of gradient and observed over-the-water winds along a mountainous coast. Journal of Geophysical Research 98: 16:555–16,569.
- Magurran, A.E. 1988. Ecological diversity and its measurement. Princeton, New Jersey: Princeton University Press.
- Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. Bulletin of the American Meteorological Society 78: 1069-1079.
- Marty, G. D., T. J. Quinn II, S. A. Miller, T. R. Meyers, and S. D. Moffitt. 2004. Effect of Disease on Recovery of Pacific Herring in Prince William Sound, Alaska, *Exxon Valdez* Oil Spill Restoration Project Final Report (Restoration Project 030462), University of California, Davis, California.
- Marty, G. D., T. J. Quinn, II, G. Carpenter, T. R. Meyers, and N. H. Willits. 2003. Role of disease in abundance of a Pacific herring (*Clupea pallasi*) population. Canadian Journal of Fisheries and Aquatic Sciences 60:1258-1265.
- Mathews, E. A., and G. W. Pendleton. 2000. Declining trends in harbor seal (*Phoca vitulina richardsi*) numbers at glacial ice and terrestrial haulouts in Glacier Bay National Park, 1992-1998. Unpublished report to the Glacier Bay National Park and Preserve. 23p.
- Matsui, T., S. Kato and S. E. Smith. 1990. Biology and potential use of Pacific grenadier, *Coryphaenoides acrolepis*, off California. Mar. Fish. Rev. 52(3): 1-17.
- McDermott, S.F., and S.A. Lowe. 1997. The reproductive cycle and sexual maturity of Atka mackerel, *Pleurogrammus monopterygius*, in Alaska waters. Fish. Bull. 95(2):321-333.
- McFarlane, G. A., J.R. King, and R.J. Beamish. 2000. Have there been recent changes in climate: Ask the fish. Progr. Oceanog. 47:147-169.
- Mecklenburg, C. W., T. A. Mecklenburg, and L. K. Thorsteinson. 2002. Fishes of Alaska. Amer. Fish. Soc., Bethesda, Maryland, 1,037 p.
- Megrey, B.A., A.B. Hollowed, S.R. Hare, S.A. Macklin, and P.J. Stabeno. 1996. Contributions of FOCI research to forecasts of year-class strength of walleye pollock in Shelikof Strait, Alaska. Fisheries Oceanography 5(1):189-203.
- Megrey, B.A., Y-W. Lee, and S.A. Macklin. 2005. Comparative analysis of statistical tools to identify recruitment-environment relationships and forecast recruitment strength. ICES J. of Mar. Sci., in press.
- Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel. 2001. Solutions to seabird bycatch in Alaska's demersal longline fisheries. Washington Sea Grant Program. Project A/FP-7. Available on loan from the National Sea Grant Library, and from publisher. WSG-AS-01-01.

- Melvin, E.F., K.S. Dietrich, K. Van Wormer, and T. Geernaert. 2004. The distribution of seabirds on Alaskan longline fishing grounds: 2002 data report. Washington Sea Grant Report WSG-TA 04-02. 19p.
- Merrett, N. R. and R. L. Haedrich. 1997. Deep-sea demersal fish and fisheries. Chapman and Hall, London, 282 p.
- Merrick, R. L., and D. G. Calkins. 1996. Importance of juvenile walleye pollock, *Theragra chalcogramma*, in the diet of Gulf of Alaska Steller sea lions, *Eumetopias jubatus*. NOAA Technical Memorandum, *126*, U.S. Department of Commerce, NOAA. pp. 153-166.
- Merrick, R. L., R. Brown, D. G. Calkins, and T. R. Loughlin. 1995. A comparison of Steller sea lion, *Eumetopias jubatus*, pup masses between rookeries with increasing and decreasing populations. Fishery Bulletin 93:753-758.
- Minobe, S. 2000. Spatio-temporal structure of the pentadecadal variability over the north Pacific. Progress in Oceanography 47:381-408.
- Monaghan, P., P. Walton, S. Wanless, J.D. Uttley, and M.D. Burns. 1994. "Effects of prey abundance on the foraging behavior, diving efficiency and time allocation of breeding guillemots (*Uria aalge*)." *Ibis* 136:214-222.
- Moore, S. E., J. M. Waite, N. A. Friday, and T. Honkalehto. 2002. Cetacean distribution and relative abundance on the central-eastern and southeastern Bering Sea shelf with reference to oceanographic domains. Progress in oceanography 55(1-2): 249-262.
- Morita, S.H., K. Morita, and H. Sakano. 2001. Growth of chum salmon (*Oncorhychus keta*) correlated with sea-surface salinity in the North Pacific. ICES Journal of Marine Science 58: 1335-1339.
- Morris, M., J.R. Harper, P.D. Reimer, H.R Frith, and D.E. Howes. 1995. Coastal biotic mapping system using aerial video imagery. In: Proceedings of the Third Thematic Conference on Remote Sensing for Marine and Coastal Environments. Seattle, WA. Pages 200-210.
- Morrow, J.E. 1980. The freshwater fishes of Alaska. Anchorage, AK: Alaska Northwest Publishing Co. 248 pp.
- Mueter, F.J., and B.L. Norcross. 1999. Linking community structure of small demersal fishes around Kodiak Island, Alaska, to environmental variables. Marine Ecology Progress Series 190:37-51.
- Mueter, F.J., and B.L. Norcross. 2000. Changes in species composition of the demersal fish community in nearshore waters of Kodiak Island, Alaska. Canadian Journal of Fisheries and Aquatic Sciences 57:1169-1180.
- Mueter, F.J., and Norcross, B.L. 2002. Spatial and temporal patterns in the demersal fish community on the shelf and upper slope regions of the Gulf of Alaska. Fish. Bull. 100:559-581.
- Mueter, F.J., R.M. Peterman, and B.J. Pyper. 2002. Opposite effects of ocean temperature on survival rates of 120 stocks of Pacific salmon (*Oncorhynchus* spp.) in northern and southern areas. Canadian Journal of Fisheries and Aquatic Sciences 59: 456-463.
- Murawski, S. 2000. Definitions of overfishing from an ecosystem perspective. ICES J. Marine Science 57:649-658.
- Murphree, T., S.J. Bograd, F.B. Schwing, and B. Ford. 2003. Large scale atmosphere-ocean anomalies in the northeast Pacific during 2002. Geophysical Research Letters 30(15):8026, doi:10.1029/2003GL017303.
- Napp, J.M., A.W. Kendall, and J.D. Schumacher. 2000. A synthesis of biological and physical processes affecting the feeding environment of larval walleye pollock (*Theragra chalcogramma*) in the eastern Bering Sea. Fisheries Oceanography 9 (2):147-162.
- Napp, J.M., C.T. Baier, K.O. Coyle, R.D. Brodeur, N. Shiga, K. Mier. 2002. Interannual and decadal variability in zooplankton communities of the southeastern Bering Sea. Deep-Sea Research II 49: 5991-6008.
- National Research Council (NRC). 1996. The Bering Sea Ecosystem. National Academy Press. Washington, D. C., 307 pp.
- Nelson, M. 2003. Forage fish species in the Gulf of Alaska. *In*: Appendix A of the Stock assessments and fishery evaluation reports for the groundfish resources of the Gulf of Alaska region. North

- Pacific Fishery Management Council, Anchorage, AK. http://www.afsc.noaa.gov/refm/stocks/assessments.htm
- NMFS. 1993. Final conservation plan for the northern fur seal (*Callorhinus ursinus*). Prepared by the National Marine Fisheries Service, Alaska Fisheries Science Center, National Marine Mammal Laboratory, Seattle, Washington and the NMFS/Office of Protected Resources, Silver Spring, MD. p. 80.
- NMFS. 2001. Draft Programmatic Supplemental Environmental Impact Statement on the Alaska Groundfish Fisheries. US Dept. of Commerce, NOAA, NMFS, Alaska Region, Juneau, Alaska.
- NMFS. 2003. Draft Programmatic Supplemental Environmental Impact Statement on the Alaska Groundfish Fisheries. US Dept. of Commerce, NOAA, NMFS, Alaska Region, January.
- NMFS. 2004a. Draft Environmental Impact Statement; Seabird interaction mititgation methods and pelagic squid fishery management (August 2004).
- NMFS. 2004b. Alaska Groundfish Fisheries Final Programmatic Supplemental Environmental Impact Statement. U.S. Dept. of Commerce, NOAA, NMFS, Alaska Region, Juneau, Alaska. June.
- Norcross, B.L., E.D. Brown, R.J. Foy, M. Frandsen, S.M. Gay, T.C. Kline Jr., D.M. Mason, E.V. Patrick, A.J. Paul, and K.D.E. Stokesbury. 2001. A synthesis of the life history and ecology of juvenile Pacific herring in Prince William Sound, Alaska. *Fish. Oceanogr.* 10(Suppl. 1): 42-57.
- North Pacific Fishery Management Council (NPFMC). 1999. Stock Assessment and Fishery Evaluation (SAFE) Document for the BSAI and GOA. Appendix D: Ecosystem Considerations for 2001, November.
- North Pacific Fishery Management Council (NPFMC). 2000. Stock Assessment and Fishery Evaluation (SAFE) Document for the BSAI and GOA. Appendix D: Ecosystem Considerations for 2001, November.
- North Pacific Fishery Management Council (NPFMC). 2002. Stock Assessment and Fishery Evaluation (SAFE) Document for the BSAI and GOA. Appendix D: Ecosystem Considerations for 2003, November.
- North Pacific Fishery Management Council (NPFMC). 2004a. Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands regions. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- North Pacific Fishery Management Council (NPFMC). 2004b. Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Novikov, N. P. 1970. Biology of *Chalinura pectoralis* in the North Pacific. *In*: P. A. Moiseev (Editor), Soviet fisheries investigations in the northeastern Pacific, Part V (In Russian). All-Union Scientific Research Institute of Marine Fisheries and Oceanography (VNIRO), Proceedings Vol. 70, and Pacific Scientific Research Institute of Fisheries and Oceanography (TINRO), Proceedings Vol. 72. (Translated by Israel Program for Scientific Translations, Jerusalem, 1972, p. 304-331).
- Nunnallee, E. 1991. An investigation of the avoidance reactions of Pacific whiting (*Merluccius productus*) to demersal and midwater trawl gear. International Council for the Exploration of the Sea Marine Science Symposium, Pap./B:5, Sess. U. Fish Capture Committee. p. 17.
- O'Clair R.M, and C.E. O'Clair. 1998. Southeast Alaska's rocky shores animals. Plant Press, Auke Bay Press, Alaska. 564 pp.
- Odum, E.P. 1985. Trends expected in stressed ecosystems. Science 35:419-422.
- Okkonen, S.R., G.A. Jacobs, E.J. Metzger, H.E. Hurlburt, and J.F. Shriver. 2001. Mesoscale variability in the boundary currents of the Alaska Gyre. Continental Shelf Research 21:1219-1236.
- Okkonen, S.R., T.J. Weingartner, S.L. Danielson, D.L. Musgrave, and G.M. Schmidt. 2003. Satellite and hydrographic observations of eddy-induced shelf-slope exchange in the northwestern Gulf of Alaska. Journal of Geophysical Research 108:3033, doi:10.1029/2002JC001342.
- Orlov, A. M., and S. I. Moiseev. 1999. Some biological features of Pacific sleeper shark, *Somniosus pacificus* (Bigelow *et Schroeder 1944*) (Squalidae), in the northwestern Pacific Ocean. Polish

- Academy of Sciences, National Scientific Committee on Oceanic Research, Institute of Oceanography, University of Gdansk. Oceanological Studies XXVIII No. 1-2: 3-16.
- Overland, J. E., and P. Stabeno. 2004. Is the climate of the Bering Sea warming and affecting the ecosystem? EOS Transactions, American Geophysical Union 85:309-316.
- Overland, J.E., J.M. Adams, and N. A. Bond, 1999: Decadal variability of the Aleutian low and it relation to highlatitude circulation. J. Climate, 12, 1542-1548.
- Overland, J.E., R.A. Brown, and C.D. Mobley. 1980. METLIB a program library for calculating and plotting marine boundary layer wind fields. NOAA Technical Memorandum ERL PMEL-20 (PB81-141038), 82 pp.
- Pacific Fisheries Environmental Laboratory (NOAA). 2005. FNMOC Sea Level Pressure. las.pfeg.noaa.gov/las/main.pl?cookieCheck=1
- Palmer, M.C. 2003. Environmental controls of fish growth in the southeastern Bering Sea. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501. 335p.
- Pauly, D., V. Christensen, and C. Walters. 2000. Ecopath, Ecosim, and Ecospace as tools for evaluating ecosystem impact of fisheries. ICES J. Mar. Sci. 57:697-706.
- Pauly, D., V. Christensen, J. Dalsgaard, R. Froese, and F. Torres Jr. 1998. Fishing down marine food webs. Science 279(5352):860-863.
- Pearson, W.H., R.A. Elston, R.W. Bienert, A.S. Drum, and L.D. Antrim. 1999. Why did the Prince William Sound, Alaska, Pacific herring (*Clupea pallasi*) fisheries collapse in 1993 and 1994? Review of hypotheses. Can. J. Fish. Aquat. Sci. 56: 711-737.
- Perez, M. A., and M. A. Bigg. 1986. Diet of northern fur seals, *Callorhinus ursinus*, off western North America. Fishery Bulletin 84(4):959-973.
- Peterson, W.T. and F.B. Schwing. 2003. A new climate regime in Northeast Pacific ecosystems, Geophys. Res. Lett. 30: doi:10.1029/2003GL017528.
- Piatt, J. F., and P. Anderson. 1996. p.720-737 *In* Rice, S. D., Spies, R. B., and Wolfe, D. A., and B.A. Wright (Eds.). 1996. *Exxon Valdez* Oil Spill Symposium Proceedings. American Fisheries Symposium No.18.
- Piatt, J. F., and P. J. Anderson. 1996. Response of Common Murres to the *Exxon Valdez* oil spill and long-term changes in the Gulf of Alaska ecosystem. American Fisheries Society Symposium 18:720-737.
- Pitcher, K.W. 1990. Major decline in number of harbor seals, *Phoca vitulina richardsi*, on Tugidak Island, Gulf of Alaska. Marine Mammal Science 6(2):121-134.
- Plotnick, M., and D.M. Eggers. 2004. Run Forecasts and Harvest Projections for 2004 Alaska Salmon Fisheries and Review of the 2003 Season. Juneau: Alaska Department of Fish and Game Regional Information Report No. 5J04-01.
- Pyper, B.J., and R.M. Peterman. 1999. Relationship among adult body length, abundance, and ocean temperature for British Columbia and Alaska sockeye salmon (*Onchorynchus nerka*), 1967-1997. Canadian Journal of Fishery and Aquatic Sciences. 56(10):1716-1720.
- Ream, R. R., J. T. Sterling, and T. R. Loughlin. 2005. Oceanographic features related to northern fur seal migratory movements. Deep Sea Research Part II: Topical Studies in Oceanography 52:823-843.
- Reed, R.K. and P.J. Stabeno. 1999. <u>The Aleutian North Slope Current</u>. *In* T.R. Loughlin and K. Ohtani (Eds.), Dynamics of the Bering Sea: A Summary of Physical, Chemical, and Biological Characteristics, and a Synopsis of Research on the Bering Sea, North Pacific Marine Science Organization (PICES), University of Alaska Sea Grant, AK-SG-99-03, 177–191.
- Rho, T., T.E. Whitledge, and J.J. Goering. 2005. Interannual variations of nutrients and primary production over the southeastern Bering Sea shelf during the spring of 1997, 1998, and 1999. Oceanology 45(3):376-390.

- Rice, J., and H. Gislason. 1996. Patterns of change in the size spectra of numbers and diversity of the North Sea fish assemblage, as reflected in surveys and models. ICES J. Mar. Sci., 53:1214-1225.
- Rice, J.C. 2000. Evaluating fishery impacts using metrics of community structure. ICES J. Mar. Sci., 57:682-688.
- Robson, B. W. 2001. The relationship between foraging locations in breeding sites of lactating northern fur seals, *Callorhinus ursinus* in the eastern Bering Sea. MS Thesis. University of Washington, Seattle, WA.
- Rodionov, S.N. 2004. A sequential algorithm for testing climate regime shifts. Geophys. Res. Lett. 31: doi:10.1029/2004GL019448.
- Rodionov, S.N. 2005. A brief overview of the regime shift detection methods. To be presented at the ROSTE-UNESCO workshop "Regime Shifts and the Recovery in Aquatic Ecosystems: Challenges for Management Toward Sustainability", 12-17 June 2005, Varna, Bulgaria.
- Rodionov, S.N., and J.E. Overland. 2005. Application of a sequential regime shift detection method to the Bering Sea ecosystem. ICES J. Mar. Sci. 62:328-332.
- Ronholt, L. L., K. Teshima, and D. W. Kessler. 1994. The groundfish resources of the Aleutian Islands region and southern Bering Sea 1980, 1983, and 1986. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-31, 351 p.
- Root, T.L., J.T. Price, K.R. Hall, S.H. Schneider, C. Rosenzweig, and J.A. Pounds. 2003. Fingerprints of global warming on wild animals and plants. Nature 421(2): 57-60.
- Sasaki, T., and K. Teshima. 1988. Data report on abundance indices of flatfishes, rockfishes, shortspine thornyhead, and grenadiers based on the results from Japan-U.S. joint longline surveys, 1979-87. (Document submitted to the Annual Meeting of the International North Pacific Fisheries Commission, Tokyo, Japan, 1988 October.) 31 p. Fisheries Agency of Japan, Far Seas Fisheries Research Laboratory, 5-7-1 Orido, Shimizu, Japan 424.
- Scheffer, V., and J. W. Slipp. 1944. The harbor seal in Washington state. Amer. Midl. Nat. 32:373-416. Schumacher, J.D., and P.J. Stabeno. 1994. Ubiquitous eddies of the eastern Bering Sea and their coincidence with concentrations of larval pollock. Fisheries Oceanography 3:182-190.
- Sepez, J. 2003. 'Ecosystem or Community Indicators' p239. In Jennifer Boldt (Ed.) *Ecosystem Considerations* for 2003. Appendix C Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the BS/AI and GOA. North Pacific Management Council 605 W. 4th Ave. Suite 306, Anchorage, AK 99501
- Sepez, J., et al. 2003. 'Physical Environment' *NOAA Fisheries Alaska Native TEK Database*. Unpublished Document accessed through the Alaska Fisheries Science Center Economics and Social Science Research Program, Seattle, WA.
- Shima, M., A. G. Hollowed, and G. R. Van Blaricom. 2000. Response of pinniped populations to directed harvest, climate variability, and commercial fishery activity: a comparative analysis. Reviews in Fish Science 8:89-124.
- Sigler, M. F., and J. T. Fujioka. 1988. Evaluation of variability in sablefish, *Anoplopoma fimbria*, abundance indices in the Gulf of Alaska using the bootstrap method. Fish. Bull. 86: 445-452.
- Sigler, M. F., C. R. Lunsford, J. T. Fujioka, and S. A. Lowe. 2003. Alaska sablefish assessment for 2004. *In*: Stock assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutian Islands region, November 2003, p. 243-311. North Pacific Fisheries Management Council, 605 W. 4th Ave., Suite 306, Anchorage AK 99501.
- Sigler, M. F., C. R. Lunsford, J. T. Fujioka, and S. A. Lowe. 2004. Alaska sablefish assessment for 2005. *In*: Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska, November 2004, p. 233-297. North Pacific Fisheries Management Council, 605 W. 4th Ave., Suite 306, Anchorage AK 99501.
- Simpkins, M. A., D. E. Withrow, J. C. Cesarone, and P. L. Boveng. 2003. Stability in the proportion of harbor seals hauled out under locally ideal conditions. Marine Mammal Science 19(4):791-805.

- Sinclair E., S. Moore, N. Friday, T. Zeppelin, and J. Waite. (*submitted*). Physical mechanisms influencing regional distribution and abundance of apex predators. Fisheries Oceanography Supplemental Issue.
- Sinclair, E. H. 1988. Feeding habits of northern fur seals (*Callorhinus ursinus*) in the eastern Bering Sea. MSc thesis, Oregon State University, Corvallis, Oregon. 94 pp.
- Sinclair, E. H., and T. K. Zeppelin. 2002. Seasonal and spatial differences in diet in the western stock of Steller sea lions (*Eumetopias jubatus*). Journal of Mammalogy 83(4):973-990.
- Sinclair, E. H., G. A. Antonelis, B. R. Robson, R. R. Ream, and T. R. Loughlin. 1996. Northern fur seal, *Callorhinus ursinus*, predation on juvenile pollock, *Theragra chalcogramma*. NOAA Technical Report, NMFS 126, U.S. Department of Commerce, NOAA. pp. 167-178.
- Sinclair, E. H., T. Loughlin, and W. Pearcy. 1994. Prey selection by northern fur seals (Callorhinus ursinus) in the eastern Bering Sea. Fishery Bulletin 92(1):144-156.
- Sinclair, E.H. 2004. Marine mammals. In J.L. Boldt (Ed.) Ecosystem Considerations for 2005. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- Small, R. J., G. W. Pendleton, and K. W. Pitcher. 2003. Trends in abundance of Alaska harbor seals, 1983-2001. Marine Mammal Science 19(2):344-362
- Springer, A. M., D. G. Roseneau, et al. 1986. Seabird responses to fluctuating prey availability in the eastern Bering Sea. Marine Ecology Progress Series 32:1-12.
- Stabeno, P., N.A. Bond, A.J. Hermann, C.W. Mordy, and J.E. Overland. 2004. Meteorology and oceanography of the northern Gulf of Alaska. Continental Shelf Research 24:859-897.
- Stabeno, P.J., and J.E. Overland. 2001. Bering Sea Shifts toward an earlier spring transition. EOS Transactions, American Geophysical Union 82:317-321.
- Stabeno, P.J., J.D. Schumacher, and K. Ohtani. 1999. The physical oceanography of the Bering Sea: A summary of physical, chemical, and biological characteristics, and a synopsis of research on the Bering Sea. *In* T.R. Loughlin and K. Ohtani (Eds.), Dynamics of the Bering Sea, A Summary of Physical, Chemical, and Biological Characteristics, and a Synopsis of Research on the Bering Sea, North Pacific Marine Science Organization (PICES), University of Alaska Sea Grant, AK-SG-99-03, 1–28.
- Stein, D. L. and W. G. Pearcy. 1982. Aspects of reproduction, early life history, and biology of macrourid fishes off Oregon, U.S.A. Deep-Sea Res. I 29 (11a):1313-1329.
- Stephensen, S.W., and D.B. Irons. 2003. A comparison of colonial breeding seabirds in the eastern Bering Sea and Gulf of Alaska. Marine Ornithology 31:167-173.
- Stevens, B.G., R.A. MacIntosh, J.A. Haaga, C.E. Armistead, and R.S. Otto. 2002. Report to industry on the 2002 Eastern Bering Sea crab survey. U.S. Department of Commerce, Alaska Fisheries Science Center Processed Report 2002-05, 59 pp.
- Sugimoto, T., K. Tadokoro. 1998. Interdecadal variations of plankton biomass and physical environment in the North Pacific. Fisheries Oceanography 7: 289–299.
- Swartzman, G, C. Huang, and S. Kaluzny. 1992. Spatial analysis of Bering Sea groundfish survey data using generalized additive models. Can. J. Fish. Aquat. Sci. 49:1366-1378.
- Thomas, G.L., and R.E. Thorne. 2003. Acoustical-optical assessment of Pacific herring and their predator assemblage in Prince William Sound, Alaska. Aquatic Living Resources 16(2003):247-253.
- Thompson, G. G., and M.K. Dorn. 2004. Assessment of the Pacific cod stock in the eastern Bering Sea and Aleutian Islands area. *In*: Stock Assessment and fishery evaluation report for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK.
- Thompson, G. G., H.H. Zenger, and M.K. Dorn. 2002. Assessment of the Pacific cod stock in the eastern Bering Sea and Aleutian Islands area. *In*: Stock Assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK.

- Thompson, G. G., H.H. Zenger, and M.K. Dorn. 2004. Assessment of the Pacific cod stock in the eastern Bering Sea and Aleutian Islands area. *In*: Stock Assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK.
- Trenberth, K.E., and J.W. Hurrell. 1994. Decadal atmospheric-ocean variations in the Pacific. Climate Dynamics 9(6):303-319.
- Trites, A.W., P.A. Livingston, M.C. Vasconcellos, S. Mackinson, A.M. Springer and D. Pauly. 1999. Ecosystem change and decline of marine mammals in the Eastern Bering Sea: testing the ecosystem shift and commercial whaling hypotheses. Fisheries Centre Research Reports 1999, 7, 106 pp.
- Tuponogov, V. N. 1997. Seasonal migrations of the grenadier *Coryphaenoides pectoralis* in the Sea of Okhotsk and contiguous waters. Russ. J. Mar. Bio. 23(6):314-321.
- Turnock, B.J., T.K. Wilderbuer, and E.S. Brown. 2002. Gulf of Alaska Arrowtooth flounder. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK. http://www.afsc.noaa.gov/refm/stocks/assessments.htm
- Turnock, B.J., T.K. Wilderbuer, and E. Brown. 2004. Gulf of Alaska Arrowtooth flounder. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK. http://www.afsc.noaa.gov/refm/stocks/assessments.htm
- USFWS. 2003. Beringian Seabird Colony Catalog –computer database and colony status record archives. U.S. Fish and Wildlife Service, Migratory Bird Management, Anchorage, AK 99503. Available at: http://alaska.fws.gov/internettv/mbsptv/mbmtv/seabirdstv/projects.htm
- Walters, C., V. Christensen, and D. Pauly. 1997. Structuring dynamic models of exploited ecosystems from trophic mass-balance assessments. Rev. Fish Biol. Fish. 7(2):139-172.
- Walters, G. 2003. HAPC- Eastern Bering Sea. In J.L. Boldt (Ed.) Ecosystem Considerations for 2004. Appendix C of the BSAI\GOA Stock Assessment and Fishery Evaluation Reports. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- Walters, G.E., and T.K Wilderbuer. 2000. Decreasing length at age in a rapidly expanding population of northern rock sole in the eastern Bering Sea and its effect on management advice. J. Sea Res. 44:17-46.
- Weiland, K.A., S. Morstad, T. Sands, C. Higgins, L. Fair, D. Crawford, F. West, L. McKinley. 2004. Alaska Department of Fish and Game Division of Commercial Fisheries Annual Management Report -2003, Bristol Bay Area. Regional Information Report No. 2A04-16.
- Wespestad, V.G. 1993. The Status of Bering Sea Pollock and the Effect of the Donut Hole Fishery. Fisheries 18(3):18-24.
- Wespestad, V.G., L.W. Fritz, W.J. Ingraham, and B.A. Megrey. 2000. On relationships between cannibalism, climate variability, physical transport, and recruitment success of Bering Sea walleye pollock (*Theragra chalcogramma*). ICES Journal of Marine Science. 57(2):272-278.
- Wiens, J. A., and J. M. Scott. 1975. Model estimation of energy flow in Oregon coastal seabird populations. Condor 77:439-452.
- Wilderbuer, T.K., A.B. Hollowed, W.J. Ingraham Jr., P.D. Spencer, M.E. Conners, N.A. Bond, and G.E. Walters. 2002. Flatfish recruitment response to decadal climatic variability and ocean conditions in the eastern Bering Sea. Progress in Oceanography 55(1-2):235-247.
- Wilderbuer, T.K., and G.E. Walters. 2002. Bering Sea and Aleutian Islands Rock sole. *In*: Stock assessments and fishery evaluation reports for the groundfish resources of the Bering Sea/Aleutians Islands regions. North Pacific Fishery Management Council, Anchorage, AK. http://www.afsc.noaa.gov/refm/stocks/assessments.htm
- Wilderbuer, T.K., and T.M. Sample. 2002a. Assessment of arrowtooth flounder in the eastern Bering Sea and Aleutian Islands area. In: Stock Assessment and fishery evaluation report for the

- groundfish resources of the Bering Sea and Aleutian Islands regions. North Pacific Fishery Management Council, Anchorage, AK.
- Wilderbuer, T.K., and T.M. Sample. 2002b. Assessment of arrowtooth flounder in the eastern Bering Sea and Aleutian Islands area. In: Stock Assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska region. North Pacific Fishery Management Council, Anchorage, AK.
- Wilderbuer, T.K., and T.M. Sample. 2004. Assessment of arrowtooth flounder in the eastern Bering Sea and Aleutian Islands area. In: Stock Assessment and fishery evaluation report for the groundfish resources of the Bering Sea and Aleutian Islands regions. North Pacific Fishery Management Council, Anchorage, AK.
- Willette, T.M., G.S. Carpenter, K. Hyer, and J.A. Wilcock. 1999. Herring natal habitats, *Exxon Valdez* Oil Spill Restoration Project Final Report (Restoration Project 97166), Alaska Department of Fish and Game, Division of Commercial Fisheries, Cordova, Alaska.
- Williams, E.H., and T.J. II. Quinn. 2000. Pacific herring, Clupea pallasi, recruitment in the Bering Sea and north-east Pacific Ocean, II: relationships to environmental variables and implications for forecasting. Fish. Oceanogr. 9:300-315
- Wolter, K., and M.S. Timlin. 1993. Monitoring ENSO in COADS with a seasonally adjusted principal component index. Proc. of the 17th Climate Diagnostics Workshop, Norman, OK, NOAA/N MC/CAC, NSSL, Oklahoma Climate Survey, CIMMS and the School of Meteor., Univ. of Oklahoma, 52-57.
- Wolter, K., and M.S. Timlin. 1998. Measuring the strength of ENSO how does 1997/1998 rank? Weather 53: 315-324.
- Wyllie-Echeverria, T., and W. S. Wooster. 1998. Year-to-year variations in Bering Sea ice cover and some consequences for fish distribution. Fisheries Oceanography 7:159-170.
- Yang, M-S. 2003. Food habits of the important groundfishes in the Aleutian Islands in 1994 and 1997. AFSC Processed Rep. 2003-07, 233 p. (Available from National Marine Fisheries Service, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle WA 98115).
- Zenger, H. H., and M. F. Sigler. 1992. Relative abundance of Gulf of Alaska sablefish and other groundfish species based on National Marine Fisheries Service longline surveys, 1988-90. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-216, 103 p.
- Zeppelin, T. K., D. Tollit, K. A. Call, T. Orchard, and C. Gudmundson. 2004. Sizes of walleye Pollock (*Theragra chalcogramma*) and Atka mackerel (*Pleurogrammus monoterygius*) consumed by the western stock of Steller sea lions (*Eumetopias jubatus*) in Alaska from 1998 to 2000. Fish. Bull. 102:509-521.
- Zerbini, A. N., P. R. Wade, and J. M. Waite. 2004. Abundance and distribution of fin, humpback and minke whales from the Kenai Fjords to the central Aleutian Islands, Alaska: Summer 2001-2002. Paper *SC/55/09* presented to the 55th IWC Scientific Committee, Berlin, Germany, IWC/Secratariat, The Red House, Cambridge, UK.
- Zheng, J., and G.H. Kruse. 2000. Recruitment patterns of Alaskan crabs in relation to decadal shifts in climate and physical oceanography. Ices Journal of Marine Science 57(2):438-451.
- Zheng, J., M.C. Murphy, and G.H. Kruse. 1995. A length-based population model and stock-recruitment relationships for red king crab, *Paralithodes camtschaticus*, in Bristol Bay, Alaska.. Can. J. Fish. Aquat. Sci. 52:1229-1246.
- Zolotov, O.G. 1993. Notes on the reproductive biology of *Pleurogrammus monopterygius* in Kamchatkan waters. J. Ichthyology 33(4):25-37.
- Zwanenburg, K.C.T. 2000. The effects of fishing on demersal fish communities of the Scotian shelf. ICES J. Mar. Sci. 57:503-509.